

AUTHOR INDEX TO VOLUME 26

Almond, D.P. and A.R. West, Ultrasonic attenuation studies of solid electrolytes	26 (1988) 265
Asai, T., C.-H. Hu and S. Kawai, Effect of the surface properties of alumina on the composite electrolyte of lithium iodide and alumina	26 (1988) 1
Bamberg, J. and H. Schmitt, Ultrasonic measurements on molybdenum bronze ceramic	26 (1988) 303
Bandaranayake, P.W.S.K. and B.-E. Mellander, Electrical conductivity and phase diagram of the $\text{Na}_4\text{SO}_4\text{-CaSO}_4$ system	26 (1988) 33
Barbi, G.B. and C.M. Mari, High temperature water electrolysis: The cathodic process at the cermet ($\text{Pt+La}_{0.8}\text{Sr}_{0.2}\text{CrO}_3$)/zirconia interface	26 (1988) 243
Barth, S., A. Feltz and C. Jäger, Structure and ionic conduction in solids: VI. Evidence for the non-existence of $\text{Na}_4\text{ZrSi}_3\text{O}_{10}$ as a definite crystalline phase	26 (1988) 189
Bhat, V. and J. Gopalakrishnan, HNbWO_6 and HTaWO_6 : Novel layered oxides related to the rutile structure. Synthesis and investigation of ion-exchange and intercalation behaviour	26 (1988) 25
Brophy, J.J., see C.K. Kuo	26 (1988) 37
Cao, G., H. Lee, V.M. Lynch and T.E. Mallouk, Structural studies of some new lamellar magnesium, manganese and calcium phosphonates	26 (1988) 63
Carrado, K.A., A. Kostapapas and S.L. Suib, Layered double hydroxides (LDHs)	26 (1988) 77
Casciola, M., U. Costantino, L. Merlini, I.G. Krogh Andersen and E. Krog Andersen, Preparation, structural characterization and conductivity of $\text{LiZr}_2(\text{PO}_4)_3$	26 (1988) 229
Chu, Y.T., The constant phase angle impedance of the finite Sierpinski electrode	26 (1988) 299
Costantino, U., see M. Casciola	26 (1988) 229
Day, V.W., see A.R. Siedle	26 (1988) 109
Dissado, L.A., see R.M. Hill	26 (1988) 295
Eftaxias, K., see C. Varotsos	26 (1988) 11
Feltz, A., see S. Barth	26 (1988) 189
Fernandez Diniz, J.M.B., see C.A.C. Sequeira	26 (1988) 197
Fu, D.-C., see I. Søjtofte	26 (1988) 307
Glaunsinger, W.S., see G.W. O'Bannon	26 (1988) 15
Glaunsinger, W.S., see V.G. Young Jr.	26 (1988) 47
Gleason, W.B., see A.R. Siedle	26 (1988) 109
Goodenough, J.B., see A.K. Shukla	26 (1988) 5
Goodenough, J.B., Acrolein oxidation over 12-molybdophosphates	26 (1988) 87
Gopalakrishnan, J., see V. Bhat	26 (1988) 25
Hadjicontis, V., see C. Varotsos	26 (1988) 11

- Halstead, T.K., see K. Metcalfe 26 (1988) 209
- Hill, R.M. and L.A. Dissado, Constant phase angle response with fractal electrodes 26 (1988) 295
- Hodgson, K.O., see A.R. Siedle 26 (1988) 109
- Hu, C.-H., see T. Asai 26 (1988) 1
- Iguchi, Y., see S. Yamaguchi 26 (1988) 183
- Imai, A., see S. Yamaguchi 26 (1988) 183
- Jäger, C., see S. Barth 26 (1988) 189
- Jiang, H.J., see W.M.H. Sachtler 26 (1988) 71
- Jin, Y. and M. Rosso, A simple measure of the ionic diffusion coefficient in the mixed conductor Cu_3VS_4 26 (1988) 237
- Joseph, J.P., see C.A.C. Sequeira 26 (1988) 197
- Kanazawa, T., see K. Yamashita 26 (1988) 279
- Kawai, S., see T. Asai 26 (1988) 1
- Kimura, K., see S. Yamaguchi 26 (1988) 183
- Kostapapas, A., see K.A. Carrado 26 (1988) 77
- Krog Andersen, E., see M. Casciola 26 (1988) 229
- Krogh Andersen, I.G., see M. Casciola 26 (1988) 229
- Kuo, C.K. and J.J. Brophy, Contact and current noise in β -alumina and NASICON ceramics 26 (1988) 37
- Lee, H., see G. Cao 26 (1988) 63
- Lynch, V.M., see G. Cao 26 (1988) 63
- Mallouk, T.E., see G. Cao 26 (1988) 63
- Malone, H., see J.M. Newsam 26 (1988) 125
- Manoharan, R., see A.K. Shukla 26 (1988) 5
- Mari, C.M., see G.B. Barbi 26 (1988) 243
- Marzke, R.F., see G.W. O'Bannon 26 (1988) 15
- Mathews, C.K., see G. Periaswami 26 (1988) 311
- McKelvy, M.J., see V.G. Young Jr. 26 (1988) 47
- McMonagle, J.B., see J.B. Moffat 26 (1988) 101
- Melchior, M.T., see J.M. Newsam 26 (1988) 125
- Mellander, B.-E., see P.W.S.K. Bandaranayake 26 (1988) 33
- Merlini, L., see M. Casciola 26 (1988) 229
- Metcalfe, K., T.K. Halstead and R.C.T. Slade, NMR studies of hydrogen diffusion in hydrogen uranyl phosphate tetrahydrate (HUP) 26 (1988) 209
- Modica, G., see E. Montoneri 26 (1988) 203
- Moffat, J.B., J.B. McMonagle and D. Taylor, Microporous heteropoly oxometalate heterogeneous catalysts 26 (1988) 101
- Moini, A. and T.J. Pinnavaia, A new strategy for the synthesis of pillared clays with super galleries: Direct intercalation of metal oxide sols (DIMOS) 26 (1988) 119
- Montoneri, E., G. Modica and G.C. Pappalardo, High temperature proton conductors. Note III. Solid state conductivity of mixtures of calcium phosphates at 200–400°C under steam pressure 26 (1988) 203
- Munshi, M.Z.A. and B.B. Owens, Performance of polymer electrolyte cells at +25 to +100°C 26 (1988) 41

- Newmark, R.A., see A.R. Siedle 26 (1988) 109
- Newsam, J.M., M.T. Melchior and H. Malone, Full profile analysis of the ^{29}Si NMR spectra of LTL-framework zeolites 26 (1988) 125
- Nicholson, P.S., see A. Tan 26 (1988) 217
- O'Bannon, G.W., W.S. Glaunsinger and R.F. Marzke, Molecular motional and structural study of ammoniated titanium disulfide by proton NMR 26 (1988) 15
- Okura, S., see K. Yamashita 26 (1988) 279
- Owens, B.B., see M.Z.A. Munshi 26 (1988) 41
- Pappalardo, G.C., see E. Montoneri 26 (1988) 203
- Periaswami, G., S. Vana Varamban, S. Rajan Babu and C.K. Mathews, Low-temperature zirconia oxygen gauges based on RuO_2 electrode 26 (1988) 311
- Pinnavaia, T.J., see A. Moini 26 (1988) 119
- Rajan Babu, S., see G. Periaswami 26 (1988) 311
- Roe, A.L., see A.R. Siedle 26 (1988) 109
- Rosso, M., see Y. Jin 26 (1988) 237
- Sachtler, W.M.H., M.S. Tzou and H.J. Jiang, Genesis and characterization of transition metal clusters in Y zeolites 26 (1988) 71
- Schmitt, H., see J. Bamberg 26 (1988) 303
- Sequeira, C.A.C., J.P. Joseph and J.M.B. Fernandez Diniz, Some physical properties of the TiO_2 semiconductor electrode 26 (1988) 197
- Shukla, A.K., R. Manoharan and J.B. Goodenough, Enhancement of ionic conductivity by dispersed oxide inclusions: influence of oxide isoelectric point and cation size 26 (1988) 5
- Siedle, A.R., R.A. Newmark, W.B. Gleason, R.P. Skarjune, K.O. Hodgson, A.L. Roe and V.W. Day, Rhodium and iridium oxometallates – a new class of solid microporous materials 26 (1988) 109
- Skarjune, R.P., see A.R. Siedle 26 (1988) 109
- Slade, R.C.T., see K. Metcalfe 26 (1988) 209
- Slade, R.C.T. and I.M. Thompson, Influence of surface area and particle size of dispersed oxide on conductivities of lithium bromide composite electrolytes 26 (1988) 287
- Søtofte, I. and D.-C. Fu, Redetermination of the crystal structure of $\text{Na}_3\text{Sc}_2(\text{PO}_4)_3$ 26 (1988) 307
- Stacy, A.M., see H.-C. zur Loye 26 (1988) 133
- Staley, R.H., see H.-C. zur Loye 26 (1988) 133
- Suib, S.L., see K.A. Carrado 26 (1988) 77
- Tan, A. and P.S. Nicholson, The development of stress during Na-K-ion exchange of polycrystalline β , β' - Al_2O_3 and its influence on the ion-exchange process 26 (1988) 217
- Tange, M., see S. Yamaguchi 26 (1988) 183
- Taylor, D., see J.B. Moffat 26 (1988) 101
- Thompson, I.M., see R.C.T. Slade 26 (1988) 287
- Tzou, M.S., see W.M.H. Sachtler 26 (1988) 71
- Umegaki, T., see K. Yamashita 26 (1988) 279

- Vana Varamban, S., see G. Periaswami 26 (1988) 311
- Varotsos, C., V. Hadjicontis and K. Eftaxias, Interconnection of individual vacancy formation and pinning thermodynamic parameters in KCl 26 (1988) 11
- Von Dreele, R.B., see V.G. Young Jr. 26 (1988) 47
- West, A.R., see D.P. Almond 26 (1988) 265
- Yamaguchi, S., K. Kimura, M. Tange, Y. Iguchi and A. Imai, Ionic conduction in Sr hexaluminate with β -alumina structure 26 (1988) 183
- Yamashita, K., S. Okura, T. Umegaki and T. Kanazawa, Synthesis and ionic conduction of C₃A-type NASICON $\text{Na}_{3+3x-y}\text{Y}_{1-x}\text{Si}_{3-y}\text{P}_y\text{O}_9$ 26 (1988) 279
- Young Jr., V.G., M.J. McKelvy, W.S. Glaunsinger and R.B. Von Dreele, A structural investigation of $(\text{ND}_4^+)_{0.22}(\text{ND}_3)_{0.34}\text{TiS}_2^{0.22}$ -by time-of-flight neutron powder diffraction 26 (1988) 47
- Zur Loye, H.-C., A.M. Stacy and R.H. Staley, Effect of the method of preparation on the interaction between Ni and TiO_2 26 (1988) 133

SUBJECT INDEX TO VOLUME 26

- ac impedance, 295
- Alkylamine, 25
- Alumina, 1
- Aluminosilicate, 125
- Ammonia, 15
- Anatase, 133
- Annealing effect, 189

- BET, 101, 119
- Battery, 41
- β -alumina, 37, 183, 217
- β'' -alumina, 217
- Bronze, 303

- Calcium phosphates, 203
- Calcium phosphonates, 63
- Catalysis, 109, 133
- Catalyst, 71, 77, 87, 101
- Cermet cathode, 243
- Clay, 77, 119
- Composite electrolyte, 1, 5, 287
- Copper diffusion, 237

- Defects, 11
- Dislocations, 11
- Divalent cations, 183

- Entropy, 11
- EXAFS, 109

- Fractal analysis, 295, 299

- Hexa-aluminate, 183
- Hopping frequencies, 265
- Hydrogen diffusion, 209
- Hydroxide, 77

- Impedance, 299
- Intercalation, 15, 25, 47, 119, 303
- Ion exchange, 25, 133, 217
- Ionic conductivity, 183
 - lithium, 229, 287
 - proton, 203
 - sodium, 279
- Ion transport, 265
- Isoelectric point, 5

- Keggin ion, 87, 109

- Lead fluoride, 5
- Lithium iodide, 1

- Metal dispersion, 71
- Mixed conductivity, 237
- Molybdenum oxide, 303

- NASICON, 37, 189, 279
- NMR, 15, 125, 189, 209
- Neutron diffraction, 47
- Noise, 37

- Oxidation, 87
- Oxygen gauge, 311
- Oxygen pumping, 197

- Passivation, 197
- Phase diagram, 189
 - sodium sulfate, 33
- Phosphate, 307
- Phosphomolybdate, 87
- Phosphotungstate, 101, 109
- Pillared structure, 77
- Polyethylene oxide, 41
- Porous electrodes, 295

- Reaction stresses, 217
- Relaxation peaks, 265
- Rutile, 25

- Schottky formation
 - elastic properties, 11
 - enthalpy, 11
- Silicotungstate, 109
- Sodalite, 71
- Sodium scandium phosphate, 307
- Sol, 119
- Surface area, 287

- Theory, 209, 299
- Thermal analysis, 63, 229
- Titanium dioxide, 133, 197
- Titanium disulfide, 15, 47
- Transference number, 279
- Tungsten oxide, 25

- Ultrasonic attenuation, 265, 303
- Uranyl phosphate, 209

Vanadium oxide, 41

Water

effects, 203

electrolysis, 243

X-ray, 307

analysis, 229

structure, 63

Zeolite, 71, 125

Zirconia electrolyte, 243, 311

Zirconium phosphate, 229